Applicant: Joseph A. Kwak. Application No.: 10/084,043

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A method for adjusting data modulation at a base station comprising:

receiving data <u>from a higher layer ARQ mechanism</u> at a transmitter for transmission;

formatting the received data into packets for transmission, each packet having a particular type of encoding/data modulation;

providing a physical layer ARQ mechanism performing steps including:

transmitting the packets;

monitoring a return channel for receipt of an acknowledgment for each packet that the packet has been received;

retransmitting a packet at the transmitter, if an acknowledgment for that packet has not been received;

eollecting retransmission statistics; and

adjusting each particular type of encoding/data modulation using the

Applicant: Joseph A. Kwak. Application No.: 10/084,043

2. (Original) The method of claim 1 wherein the particular type of

encoding/data modulation is forward error correction (FEC).

3. (Original) The method of claim 2 wherein the packets are transmitted

using an orthogonal frequency division multiple access (OFDMA) air interface and

the particular FEC encoding/data modulation adjusting is performed in addition to

selective nulling of subchannels in an OFDMA set.

4. (Original) The method of claim 1 wherein the packets are transmitted

using a single carrier having a frequency domain equalization (SC-FDE) air

interface.

5. (Original) The method of claim 1 wherein the return channel is the fast

feedback channel when the packets are transmitted using a code division multiple

access (CDMA) air interface.

6. (Original) The method of claim 1 further comprising:

identifying a packet as having an unacceptable error rate responsive to

receipt of a negative acknowledgment.

7-9. (Canceled).

. 3 .

Applicant: Joseph A. Kwak. Application No.: 10/084,043

10. (New) The method of claim 1 wherein the physical layer ARQ mechanism operates transparently with respect to the higher layer ARQ mechanism.